

Best.-Nr.	Bezeichnung_1	Bezeichnung_2	Preis
2531211-V	ProLuce® LED Panel PIAZZA/65 295x595 mm, 24W, IP65	6000K, 1920 lm, 120°, weiss, dimmbar 0-10V	267.00
2531212	ProLuce® LED Panel PIAZZA/65 295x595 mm, 24W, IP65	4000K, 1920 lm, 120°, weiss, inkl. Betriebsgerät	206.00
2531212-D	ProLuce® LED Panel PIAZZA/65 295x595 mm, 24W, IP65	4000K, 1920 lm, 120°, weiss, DALI	268.00
2531212-V	ProLuce® LED Panel PIAZZA/65 295x595 mm, 24W, IP65	4000K, 1920 lm, 120°, weiss, dimmbar 0-10V	267.00
2531213	ProLuce® LED Panel PIAZZA/65 295x595 mm, 24W, IP65	3000K, 1920 lm, 120°, weiss, inkl. Betriebsgerät	206.00
2531213-D	ProLuce® LED Panel PIAZZA/65 295x595 mm, 24W, IP65	3000K, 1920 lm, 120°, weiss, DALI	268.00
2531213-V	ProLuce® LED Panel PIAZZA/65 295x595 mm, 24W, IP65	3000K, 1920 lm, 120°, weiss, dimmbar 0-10V	267.00
2531321	ProLuce® LED Panel PIAZZA/65 295x1195 mm 36W, IP65	6000K, 2880 lm, 120°, weiss, inkl. Betriebsgerät	354.50
2531321-D	ProLuce® LED Panel PIAZZA/65 295x1195 mm 36W, IP65	6000K, 2880 lm, 120°, weiss, DALI	532.00
2531321-V	ProLuce® LED Panel PIAZZA/65 295x1195 mm 36W, IP65	6000K, 2880 lm, 120°, weiss, dimmbar 0-10V	452.50
2531322	ProLuce® LED Panel PIAZZA/65 295x1195 mm 36W, IP65	4000K, 2880 lm, 120°, weiss, inkl. Betriebsgerät	354.50
2531322-D	ProLuce® LED Panel PIAZZA/65 295x1195 mm 36W, IP65	4000K, 2880 lm, 120°, weiss, DALI	532.00
2531322-V	ProLuce® LED Panel PIAZZA/65 295x1195 mm 36W, IP65	4000K, 2880 lm, 120°, weiss, dimmbar 0-10V	452.50
2531323	ProLuce® LED Panel PIAZZA/65 295x1195 mm 36W, IP65	3000K, 2880 lm, 120°, weiss, inkl. Betriebsgerät	354.50
2531323-D	ProLuce® LED Panel PIAZZA/65 295x1195 mm 36W, IP65	3000K, 2880 lm, 120°, weiss, DALI	532.00
2531323-V	ProLuce® LED Panel PIAZZA/65 295x1195 mm 36W, IP65	3000K, 2880 lm, 120°, weiss, dimmbar 0-10V	452.50
2531411	ProLuce® LED Panel PIAZZA/65 595x1195 mm 72W, IP65	6000K, 5760 lm, 120°, weiss, inkl. Betriebsgerät	762.50
2531411-D	ProLuce® LED Panel PIAZZA/65 595x1195 mm 72W, IP65	6000K, 5760 lm, 120°, weiss, DALI	1'042.00
2531411-V	ProLuce® LED Panel PIAZZA/65 595x1195 mm 72W, IP65	6000K, 5760 lm, 120°, weiss, dimmbar 0-10V	969.50
2531412	ProLuce® LED Panel PIAZZA/65 595x1195 mm 72W, IP65	4000K, 5760 lm, 120°, weiss, inkl. Betriebsgerät	762.50
2531412-D	ProLuce® LED Panel PIAZZA/65 595x1195 mm 72W, IP65	4000K, 5760 lm, 120°, weiss, DALI	1'042.00
2531412-V	ProLuce® LED Panel PIAZZA/65 595x1195 mm 72W, IP65	4000K, 5760 lm, 120°, weiss, dimmbar 0-10V	969.50
2531413	ProLuce® LED Panel PIAZZA/65 595x1195 mm 72W, IP65	3000K, 5760 lm, 120°, weiss, inkl. Betriebsgerät	762.50
2531413-D	ProLuce® LED Panel PIAZZA/65 595x1195 mm 72W, IP65	3000K, 5760 lm, 120°, weiss, DALI	1'042.00
2531413-V	ProLuce® LED Panel PIAZZA/65 595x1195 mm 72W, IP65	3000K, 5760 lm, 120°, weiss, dimmbar 0-10V	969.50
2535201	ProLuce® LED Panel PIAZZA/RF 295x295x10 mm 20W	2000 lm, 110°, IP20, schwarz, 3000K-6000K regelbar	305.00
2535202	ProLuce® LED Panel PIAZZA/RF 295x295x10 mm 20W	2000 lm, 110°, IP20, silber, 3000K-6000K regelbar	305.00
2535203	ProLuce® LED Panel PIAZZA/RF 295x295x10 mm 20W	2000 lm, 110°, IP20, weiss, 3000K-6000K regelbar	305.00
2535211	ProLuce® LED Panel PIAZZA/RF 595x595x10 mm 40W	4000 lm, 110°, IP20, schwarz, 3000K-6000K regelbar	421.50
2535212	ProLuce® LED Panel PIAZZA/RF 595x595x10 mm 40W	4000 lm, 110°, IP20, silber, 3000K-6000K regelbar	421.50
2535213	ProLuce® LED Panel PIAZZA/RF 595x595x10 mm 40W	4000 lm, 110°, IP20, weiss, 3000K-6000K regelbar	421.50
2535221	ProLuce® LED Panel PIAZZA/RF 295x595x10 mm 36W	3600 lm, 110°, IP20, schwarz, 3000K-6000K regelbar	347.50
2535222	ProLuce® LED Panel PIAZZA/RF 295x595x10 mm 36W	3600 lm, 110°, IP20, silber, 3000K-6000K regelbar	347.50
2535223	ProLuce® LED Panel PIAZZA/RF 295x595x10 mm 36W	3600 lm, 110°, IP20, weiss, 3000K-6000K regelbar	347.50
2535231	ProLuce® LED Panel PIAZZA/RF 295x1195x10 mm 36W	3600 lm, 110°, IP20, schwarz, 3000K-6000K regelbar	432.50
2535232	ProLuce® LED Panel PIAZZA/RF 295x1195x10 mm 36W	3600 lm, 110°, IP20, silber, 3000K-6000K regelbar	432.50
2535233	ProLuce® LED Panel PIAZZA/RF 295x1195x10 mm 36W	3600 lm, 110°, IP20, weiss, 3000K-6000K regelbar	432.50
2535241	ProLuce® LED Panel PIAZZA/RF 595x1195x10 mm 80W	8000 lm, 110°, IP20, schwarz, 3000K-6000K regelbar	623.00
2535242	ProLuce® LED Panel PIAZZA/RF 595x1195x10 mm 80W	8000 lm, 110°, IP20, silber, 3000K-6000K regelbar	623.00
2535243	ProLuce® LED Panel PIAZZA/RF 595x1195x10 mm 80W	8000 lm, 110°, IP20, weiss, 3000K-6000K regelbar	623.00
LED Panel PIAZZA/19			
2543101	ProLuce® LED Panel PIAZZA/19 295x295 mm 18W	2700K, 1500 lm, 110°, UGR<19, schwarz, on/off	164.50
2543101-D	ProLuce® LED Panel PIAZZA/19 295x295 mm 18W	2700K, 1500 lm, 110°, UGR<19, schwarz, DALI	292.50
2543101-V	ProLuce® LED Panel PIAZZA/19 295x295 mm 18W	2700K, 1500 lm, 110°, UGR<19, schwarz, 0-10V	216.50
2543102	ProLuce® LED Panel PIAZZA/19 295x295 mm 18W	3000K, 1500 lm, 110°, UGR<19, schwarz, on/off	164.50
2543102-D	ProLuce® LED Panel PIAZZA/19 295x295 mm 18W	3000K, 1500 lm, 110°, UGR<19, schwarz, DALI	292.50
2543102-V	ProLuce® LED Panel PIAZZA/19 295x295 mm 18W	3000K, 1500 lm, 110°, UGR<19, schwarz, 0-10V	216.50
2543103	ProLuce® LED Panel PIAZZA/19 295x295 mm 18W	4000K, 1500 lm, 110°, UGR<19, schwarz, on/off	164.50
2543103-D	ProLuce® LED Panel PIAZZA/19 295x295 mm 18W	4000K, 1500 lm, 110°, UGR<19, schwarz, DALI	292.50
2543103-V	ProLuce® LED Panel PIAZZA/19 295x295 mm 18W	4000K, 1500 lm, 110°, UGR<19, schwarz, 0-10V	216.50
2543111	ProLuce® LED Panel PIAZZA/19 295x295 mm 18W	2700K, 1500 lm, 110°, UGR<19, silber, on/off	164.50
2543111-D	ProLuce® LED Panel PIAZZA/19 295x295 mm 18W	2700K, 1500 lm, 110°, UGR<19, silber, DALI	292.50
2543111-V	ProLuce® LED Panel PIAZZA/19 295x295 mm 18W	2700K, 1500 lm, 110°, UGR<19, silber, 0-10V	216.50
2543112	ProLuce® LED Panel PIAZZA/19 295x295 mm 18W	3000K, 1500 lm, 110°, UGR<19, silber, on/off	164.50
2543112-D	ProLuce® LED Panel PIAZZA/19 295x295 mm 18W	3000K, 1500 lm, 110°, UGR<19, silber, DALI	292.50
2543112-V	ProLuce® LED Panel PIAZZA/19 295x295 mm 18W	3000K, 1500 lm, 110°, UGR<19, silber, 0-10V	216.50
2543113	ProLuce® LED Panel PIAZZA/19 295x295 mm 18W	4000K, 1500 lm, 110°, UGR<19, silber, on/off	164.50
2543113-D	ProLuce® LED Panel PIAZZA/19 295x295 mm 18W	4000K, 1500 lm, 110°, UGR<19, silber, DALI	292.50
2543113-V	ProLuce® LED Panel PIAZZA/19 295x295 mm 18W	4000K, 1500 lm, 110°, UGR<19, silber, 0-10V	216.50
2543121	ProLuce® LED Panel PIAZZA/19 295x295 mm 18W	2700K, 1500 lm, 110°, UGR<19, weiss, on/off	164.50
2543121-D	ProLuce® LED Panel PIAZZA/19 295x295 mm 18W	2700K, 1500 lm, 110°, UGR<19, weiss, DALI	292.50
2543121-V	ProLuce® LED Panel PIAZZA/19 295x295 mm 18W	2700K, 1500 lm, 110°, UGR<19, weiss, 0-10V	216.50
2543122	ProLuce® LED Panel PIAZZA/19 295x295 mm 18W	3000K, 1500 lm, 110°, UGR<19, weiss, on/off	164.50
2543122-D	ProLuce® LED Panel PIAZZA/19 295x295 mm 18W	3000K, 1500 lm, 110°, UGR<19, weiss, DALI	292.50
2543122-V	ProLuce® LED Panel PIAZZA/19 295x295 mm 18W	3000K, 1500 lm, 110°, UGR<19, weiss, 0-10V	216.50
2543123	ProLuce® LED Panel PIAZZA/19 295x295 mm 18W	4000K, 3240 lm, 110°, UGR<19, weiss, on/off	164.50

Best.-Nr.	Bezeichnung_1	Bezeichnung_2	Preis
2543611-D	ProLuce® LED Panel PIAZZA/19 595x1195 mm 72W	3000K, 6500 lm, 110°, UGR<19, silber, DALI	698.00
2543611-V	ProLuce® LED Panel PIAZZA/19 595x1195 mm 72W	2700K, 6500 lm, 110°, UGR<19, silber, 0-10V	624.50
2543612	ProLuce® LED Panel PIAZZA/19 595x1195 mm 72W	3000K, 6500 lm, 110°, UGR<19, silber, on/off	418.00
2543612-D	ProLuce® LED Panel PIAZZA/19 595x1195 mm 72W	2700K, 6500 lm, 110°, UGR<19, silber, DALI	698.00
2543612-V	ProLuce® LED Panel PIAZZA/19 595x1195 mm 72W	3000K, 6500 lm, 110°, UGR<19, silber, 0-10V	624.50
2543613	ProLuce® LED Panel PIAZZA/19 595x1195 mm 72W	4000K, 6500 lm, 110°, UGR<19, silber, on/off	418.00
2543613-D	ProLuce® LED Panel PIAZZA/19 595x1195 mm 72W	4000K, 6500 lm, 110°, UGR<19, silber, DALI	698.00
2543613-V	ProLuce® LED Panel PIAZZA/19 595x1195 mm 72W	4000K, 6500 lm, 110°, UGR<19, silber, 0-10V	624.50
2543621	ProLuce® LED Panel PIAZZA/19 595x1195 mm 72W	2700K, 6500 lm, 110°, UGR<19, weiss, on/off	418.00
2543621-D	ProLuce® LED Panel PIAZZA/19 595x1195 mm 72W	2700K, 6500 lm, 110°, UGR<19, weiss, DALI	698.00
2543621-V	ProLuce® LED Panel PIAZZA/19 595x1195 mm 72W	2700K, 6500 lm, 110°, UGR<19, weiss, 0-10V	624.50
2543622	ProLuce® LED Panel PIAZZA/19 595x1195 mm 72W	3000K, 6500 lm, 110°, UGR<19, weiss, on/off	418.00
2543622-D	ProLuce® LED Panel PIAZZA/19 595x1195 mm 72W	3000K, 6500 lm, 110°, UGR<19, weiss, DALI	698.00
2543622-V	ProLuce® LED Panel PIAZZA/19 595x1195 mm 72W	3000K, 6500 lm, 110°, UGR<19, weiss, 0-10V	624.50
2543623	ProLuce® LED Panel PIAZZA/19 595x1195 mm 72W	4000K, 6500 lm, 110°, UGR<19, weiss, on/off	418.00
2543623-D	ProLuce® LED Panel PIAZZA/19 595x1195 mm 72W	4000K, 6500 lm, 110°, UGR<19, weiss, DALI	698.00
2543623-V	ProLuce® LED Panel PIAZZA/19 595x1195 mm 72W	4000K, 6500 lm, 110°, UGR<19, weiss, 0-10V	624.50